

ATEC, INC.

815 E. TONTO STREET
PHOENIX, AZ 85034-4028
U.S.A.

Phone (800)547-1574, (602)253-3921
Fax (602)253-2585

SAFETY DATA SHEET

SDS -1-

-----I.
IDENTIFICATION-----

Product Name: WB-10 or WB-11 TIRE PAINT (WATER BASE)
Manufacture's Name: ATEC, Inc.
815 E. Tonto Street
Phoenix, Arizona 85034
(602)253-3921 or (800)547-1574

Date Prepared or Revised: 1/09/18

-----II.
INGREDIENTS-----

Aqueous Dispersion of Carbon Black
CAS Number: 1333-86-4
Exposure Limits in Air: Not Hazardous per OSHA 1910.1200

Acrylic Polymer
Trade Secret: COMPOUND
Exposure Limits in Air: Not Hazardous per OSHA 1910.1200

SBR Copolymer Emulsion
CAS Numbers: 7732-185-5 1336-21-6 (0.1 Max)
Exposure Limits in Air: Not Hazardous per OSHA 1910.1200

ISOPAR M Fluid
CAS Number: 64742-47-8 (<.02%)
Exposure Limits in Air: This product has been evaluated by ExxonMobil Chemical Company and determined to meet the low vapor pressure (LVP) exemption set by the California Air Resources Board for volatile organic compounds in products (California Code of Regulations, Title 17, Article 2, Section 94510).

	NPCA-HMIS	NFPA 704	
HEALTH	1	1	4=Severe
FLAMMABILITY	0	0	3=Serious
REACTIVITY	0	0	2=Moderate
			1=Slight
			0=Minimal

Continues on page 2

-----III. PHYSICAL

PROPERTIES-----

Vapor Density(air=1):	>1
Melting Point or Range F.:	N/A
Specific Gravity:	8.33 ppg
Solubility in Water:	100%
Boiling Point or Range:	N/A
Evaporation Rate (butyl acetate):	H2O
Vapor Pressure mmHg at 20 degrees C.:	N/A
Appearance and Odor:	Black Liquid
How to Detect this Substance (Warning properties of this substance as a gas, vapor, dust or mist.):	N/A

-----IV. FIRE HAZARD

INFORMATION-----

Flash Point, degrees F. (give method):	N/A
Auto Ignition Temperature, degrees F.:	N/A
Flammable Limits in Air, Volume%:	Lower (Lel) N/A Upper (Uel) N/A
Special Fire Fighting Procedures:	N/A
Unusual Fire and Explosion Hazards:	None

-----V. HEALTH HAZARD

INFORMATION-----

SYMPTOMS OF OVEREXPOSURE (for each potential route of exposure)

Inhaled:	N/A
Contact With Skin or Eyes: water subsides.	If splashed into eyes, flush with clear water for 15 minutes or until irritation subsides. If irritation persists call a physician.
Absorbed Through Skin: contaminated and	In case of skin contact, remove clothing and wash thoroughly with soap water.
Swallowed: physician	If ingested induce vomiting, call a physician immediately.

HEALTH EFFECTS OR RISKS FROM EXPOSURE:

Acute:	N/A
Chronic:	Variability among individuals

FIRST AID EMERGENCY PROCEDURES:

Eye Contact:	See Above.
Skin Contact:	See Above.
Inhaled:	See Above.
Swallowed:	See Above.

SUSPECTED CANCER AGENT: NO. This product's ingredients are not found
in the

lists below:

Federal OSHA, NTP, IARC.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: See health effects or risks above.

Continues on page

3

SDS WB-10, WB-11

-3-

-----VI. REACTIVITY
DATA-----

STABILITY: Stable.

CONDITIONS TO AVOID: None.

INCOMPATIBILITY (Materials to Avoid): None.

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS: None.

HAZARDOUS POLYMERIZATION: Will Not Occur.

CONDITIONS TO AVOID: None.

-----VII. SPILL, LEAK AND DISPOSAL
PROCEDURES-----

VENTILATION AND ENGINEERING CONTROLS: None.

RESPIRATORY PROTECTION (Specify Type): N/A

EYE PROTECTION (Type): Use Safety Goggles.

GLOVES (Specify Material): N/A

OTHER PROTECTIVE EQUIPMENT: N/A

WORK PRACTICES, HYGIENIC PRACTICES: N/A

HANDLING AND STORAGE PRECAUTIONS: Keep From Freezing.