



MATERIAL SAFETY DATA SHEET

N-SURF P

Page: 1
2/6/2007

PARISER INDUSTRIES

PRODUCT NAME: N-SURF P
TRADE SECRET REGISTRY #307554-5003P
UN NUMBER : N/A

HMIS CODES: H F R P
1 0 0 B

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: PARISER INDUSTRIES
ADDRESS : 91 MICHIGAN AVE
PATERSON, NJ 07503

EMERGENCY PHONE : 800-424-9300 DATE PRINTED : 2/6/2007
INFORMATION PHONE : 973-569-9090 NAME OF PREPARER : ENVIRONMENTAL DEPT

SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE		WEIGHT PERCENT
		mm Hg @ TEMP		
ALKYLBENZENESULFONIC ACID	MIXTURE	N/A	N/A	10.14
PEL OF 2PPM (OSHA)				
TWA OF 2PPM (ACGIH)				
ODORLESS MINERAL SPIRITS	64742-48-9	1	68°F	2.50
OSHA/PEL 300PPM TOTAL				
SODIUM HYDROXIDE, LIQUID	1310-73-2	1mmHG	N/A	
OSHA-2MCM-8 HOUR TWA				
ACGIH-2MCM-CEILING				

*** No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. ***

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

pH 1% SOLUTION : 8.3 +/- .5
BOILING RANGE: 100°C - 354°F
VAPOR DENSITY: N/A
COATING V.O.C.: NOT APPLICABLE
SOLUBILITY IN WATER: SOLUBLE
APPEARANCE AND ODOR: CLEAR/MILD ORGANIC ODOR

SPECIFIC GRAVITY (H2O=1): 1.08
EVAPORATION RATE: N/A
MATERIAL V.O.C.: NOT APPLICABLE

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

LASH POINT : N/A METHOD USED: SETA FLASH
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: 1.3 UPPER: 9.8

EXTINGUISHING MEDIA:

FOR FIRES INVOLVING THIS PRODUCT, WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL MAY BE USED.



MATERIAL SAFETY DATA SHEET

N-SURF P

Page: 2
2/6/2007

PARISER INDUSTRIES

SPECIAL FIREFIGHTING PROCEDURES

WEAR NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS WHEN EITHER IN CONFINED AREAS OR EXPOSED TO COMBUSTION PRODUCTS.
USE WATER TO COOL FIRE EXPOSED CONTAINERS.

UNUSUAL FIRE AND EXPLOSION HAZARDS

IRRITATING VAPOR MAY BE GENERATED. DUST MAY PRESENT EXPLOSION HAZARD.

SECTION V - REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID

HEAT, SPARKS AND FLAMES

INCOMPATIBILITY (MATERIALS TO AVOID)

STRONG ACIDS/ALKALI AND STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

SULFUR DIOXIDE, HYDROGEN SULFIDE, ORGANIC ACIDS, ALDEHYDES AND KETONES

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH-TO-MOUTH. IF BREATHING IS
DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

FLUSH WITH WATER SEEK MEDICAL ATTENTION

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

SEE ABOVE

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

IMMEDIATELY DRINK LARGE QUANTITIES OF WATER. INDUCE VOMITING. CALL A PHYSICIAN AT ONCE. DO NOT GIVE ANYTHING BY MOUTH
IF THE PERSON IS UNCONSCIOUS OR IF HAVING CONVULSIONS.

HEALTH HAZARDS (ACUTE AND CHRONIC)

NONE ESTABLISHED

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED:
No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

NONE KNOWN



MATERIAL SAFETY DATA SHEET

N-SURF P

Page: 3
2/6/2007

PARISER INDUSTRIES

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: IF PATIENT IS FULLY CONSCIOUS, GIVE 2 GLASSES OF WATER. INDUCE VOMITING. OBTAIN MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH SOAP AND WATER. OBTAIN MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER AND CONTINUE FLUSHING FOR 15 MINUTES. OBTAIN MEDICAL ATTENTION WITHOUT DELAY.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

EXTINGUISH AND DO NOT TURN ON ANY IGNITION SOURCE UNTIL THE AREA IS DETERMINED TO BE FREE FROM FIRE OR EXPLOSION HAZARD. WEAR SUITABLE PROTECTIVE EQUIPMENT. AVOID CONTACT WITH EYES. SMALL SPILLS CAN BE FLUSHED WITH LARGE AMOUNTS OF WATER; LARGER SPILLS SHOULD BE COLLECTED FOR DISPOSAL.

WASTE DISPOSAL METHOD

IF MATERIAL CANNOT BE SALVAGED, THE PREFERRED METHOD OF DISPOSAL IS IN A SECURE CHEMICAL LANDFILL IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

DO NOT HANDLE UNLESS THE SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. AVOID EYE AND SKIN CONTACT. AVOID INHALATION OF VAPORS. DO NOT PUNCTURE, DRAG OR SLIDE CONTAINERS. DO NOT SMOKE IN ANY CHEMICAL HANDLING OR STORAGE AREA. WASH HANDS BEFORE EATING. STORE IN A COOL, DRY AND WELL-VENTILATED LOCATION. PROTECT FROM HUMIDITY. KEEP CONTAINERS TIGHTLY CLOSED. STORE AWAY FROM INCOMPATIBLE MATERIALS.

OTHER PRECAUTIONS

USE WITH ADEQUATE VENTILATION OR LOCAL EXHAUST. STORE IN A COOL, DRY WELL VENTILATED AREA. KEEP CONTAINER CLOSED WHEN NOT IN USE.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION

NIOSH/MSHA APPROVED RESPIRATOR FOR PARTICULATES. LOCAL EXHAUST, VENTILATE AS REQUIRED.

VENTILATION

GENERAL MECHANICAL VENTILATION OR LOCAL EXHAUST SHOULD BE SUITABLE TO KEEP VAPOR CONCENTRATIONS BELOW TLV. VENTILATION EQUIPMENT SHOULD BE EXPLOSION PROOF.

PROTECTIVE GLOVES

NORMAL WORK GLOVES ARE ADEQUATE.

EYE PROTECTION

EYE GLASSES OR GOGGLES SHOULD BE WORN.



MATERIAL SAFETY DATA SHEET

N-SURF P

Page: 4
2/6/2007

PARISER INDUSTRIES

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

WHERE CONTACT IS LIKELY, RUBBER APRON AND BOOTS

WORK/HYGIENIC PRACTICES

WARM WATER SHOWERING AND HANDWASHING IS SUGGESTED AFTER WORKING WITH PRODUCT. WASH CONTAMINATED CLOTHING AND DRY BEFORE REUSE.

SECTION IX - DISCLAIMER

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY PARISER INDUSTRIES, INC., TO BE ACCURATE. AS WITH ALL CHEMICALS, KEEP AWAY FROM CHILDREN, ANIMALS, AND FOOD PRODUCTS. FOR INDUSTRIAL USE ONLY, USE AS DIRECTED.

SECTION X - UN CODE

N/A