

## Safety Data Sheet

#### Copyright, 2017, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:	05-4615-0	Version Number:	56.02
Issue Date:	12/29/17	Supercedes Date:	11/15/17

## **SECTION 1: Identification**

## 1.1. Product identifier

5904-5907, 3021-3024, AND 8004 3M™ ESPE™ Z100™ RESTORATIVE PASTE

## **Product Identification Numbers**

70-2010-1318-5, 70-2010-1319-3, 70-2010-1320-1, 70-2010-1321-9, 70-2010-1322-7, 70-2010-1323-5, 70-2010-1324-3, 70-2010-1325-0, 70-2010-1329-2, 70-2010-1331-8, 70-2010-1420-9, 70-2010-1485-2, 70-2010-1486-0, 70-2010-1487-8, 70-2010-1488-6, 70-2010-1489-4, 70-2010-1490-2, 70-2010-1491-0, 70-2010-1492-8, 70-2010-1496-9, 70-2010-1498-5, 70-2010-1499-3, 70-2010-1531-3, 70-2010-1533-9, 70-2010-1535-4, 70-2010-2371-3, 70-2010-2372-1, 70-2010-2373-9, 70-2010-2374-7, 70-2010-2375-4, 70-2010-2376-2, 70-2010-2377-0, 70-2010-2378-8, 70-2010-3791-1, 70-2010-3792-9, 70-2010-3793-7, 70-2010-3794-5, 70-2010-3795-2, 70-2010-3796-0, 70-2010-3797-8, 70-2010-3798-6, 70-2010-3802-6, 70-2010-3804-2, 70-2010-3805-9, 70-2010-3806-7, 70-2010-3807-5, 70-2010-3808-3, 70-2010-3809-1, 70-2010-3810-9, 70-2010-3811-7, 70-2010-3812-5, 70-2010-3817-4, 70-2010-3819-0, 70-2010-3820-8, 70-2010-5171-4, 70-2010-5172-2, 70-2010-5173-0, 70-2010-5175-4, 70-2010-5176-3, 70-2010-5177-1, 70-2010-5178-9, 70-2010-5182-1, 70-2010-5184-7, 70-2010-5185-4, 70-2010-8782-5, 70-2010-8783-3, 70-2010-8784-1, 70-2010-8785-8, 70-2010-8786-6, 70-2010-9797-2, 70-2010-9799-8, 70-2010-9800-4, 70-2010-9801-2, 70-2010-8785-8, 70-2010-8786-6, 70-2010-9797-2, 70-2010-9799-8, 70-2010-9807-9, 70-2010-9808-7, 70-2010-9809-5, 70-2010-9803-8, 70-2010-9804-6, 70-2010-9805-3, 70-2010-9807-9, 70-2010-9808-7, 70-2010-9809-5, 70-2010-9817-8, 70-2010-9811-1, 70-2010-9812-9, 70-2010-9813-7, 70-2010-9814-5, 70-2010-9815-2, 70-2010-9816-0, 70-2010-9817-8, 70-2010-9818-6

#### 1.2. Recommended use and restrictions on use

Recommended use Dental product, Restorative Restrictions on use For use only by dental professionals

1.2 Sumplianta dataila

3M
Oral Care Solutions Division
3M Center, St. Paul, MN 55144-1000, USA
1-888-3M HELPS (1-888-364-3577)

**1.4. Emergency telephone number** 

1-800-364-3577 or (651) 737-6501 (24 hours)

## **SECTION 2: Hazard identification**

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

## 2.1. Hazard classification

Serious Eye Damage/Irritation: Category 2B. Skin Sensitizer: Category 1.

**2.2. Label elements Signal word** Warning

**Symbols** Exclamation mark |

## Pictograms



Hazard Statements Causes eye irritation. May cause an allergic skin reaction.

## **Precautionary Statements**

## **Prevention:**

Avoid breathing dust/fume/gas/mist/vapors/spray. Wear protective gloves. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

## **Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### **Disposal:**

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

## **SECTION 3: Composition/information on ingredients**

Ingredient	C.A.S. No.	% by Wt
SILANE TREATED CERAMIC	444758-98-9	80 - 90 Trade Secret *
TRIETHYLENE GLYCOL DIMETHACRYLATE	109-16-0	1 - 10 Trade Secret *
(TEGDMA)		
BISPHENOL A DIGLYCIDYL ETHER	1565-94-2	1 - 10 Trade Secret *
DIMETHACRYLATE (BISGMA)		

2-BENZOTRIAZOLYL-4-METHYLPHENOL	2440-22-4	< 1 Trade Secret *	
---------------------------------	-----------	--------------------	--

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

## Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

## Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

## If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

## 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## **SECTION 5: Fire-fighting measures**

## 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

## 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

## Hazardous Decomposition or By-Products

<u>Substance</u> Carbon monoxide Carbon dioxide <u>Condition</u> During Combustion During Combustion

#### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not get in eyes.

## 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **Occupational exposure limits**

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

## 8.2. Exposure controls

#### **8.2.1.** Engineering controls

Use in a well-ventilated area.

## 8.2.2. Personal protective equipment (PPE)

## Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Safety Glasses with side shields

#### Skin/hand protection

See Section 7.1 for additional information on skin protection.

## **Respiratory protection**

None required.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties General Physical Form: Solid Specific Physical Form: Paste Odor, Color, Grade: Slight acrylate odor, Tooth colored

- **Odor threshold** pН Melting point **Boiling Point Flash Point Evaporation rate** Flammability (solid, gas) Flammable Limits(LEL) Flammable Limits(UEL) **Vapor Pressure** Vapor Density Density **Specific Gravity** Solubility in Water Solubility- non-water Partition coefficient: n-octanol/ water Autoignition temperature **Decomposition temperature** Viscosity Molecular weight Volatile Organic Compounds **Percent volatile VOC Less H2O & Exempt Solvents**
- No Data Available Not Applicable No Data Available Not Applicable No flash point Not Applicable Not Classified Not Applicable Not Applicable Not Applicable Not Applicable 2.1 g/cm3 2.1 [*Ref Std*:WATER=1] Negligible No Data Available Not Applicable No Data Available No Data Available Not Applicable No Data Available Not Applicable Negligible Not Applicable

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

## 10.2. Chemical stability

Stable.

## 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

## **10.4.** Conditions to avoid

None known.

## 10.5. Incompatible materials

None known.

## 10.6. Hazardous decomposition products

Substance

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

## **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be

Condition

present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

## 11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

## Based on test data and/or information on the components, this material may produce the following health effects:

## Inhalation:

This product may have a characteristic odor; however, no adverse health effects are anticipated.

## **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

## Eye Contact:

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

## **Ingestion:**

May be harmful if swallowed.

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

## **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE2,000 - 5,000 mg/kg
SILANE TREATED CERAMIC	Dermal		LD50 estimated to be > 5,000 mg/kg
SILANE TREATED CERAMIC	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
TRIETHYLENE GLYCOL DIMETHACRYLATE (TEGDMA)	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
TRIETHYLENE GLYCOL DIMETHACRYLATE (TEGDMA)	Ingestion	Rat	LD50 10,837 mg/kg
BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA)	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA)	Dermal	Professio nal judgeme nt	LD50 estimated to be 2,000 - 5,000 mg/kg
2-BENZOTRIAZOLYL-4-METHYLPHENOL	Dermal	Rat	LD50 > 2,000 mg/kg
2-BENZOTRIAZOLYL-4-METHYLPHENOL	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.59 mg/l
2-BENZOTRIAZOLYL-4-METHYLPHENOL	Ingestion	Rat	LD50 10,000 mg/kg

ATE = acute toxicity estimate

#### **Skin Corrosion/Irritation**

Name	Species	Value

SILANE TREATED CERAMIC	similar	No significant irritation
	compoun	
	ds	
TRIETHYLENE GLYCOL DIMETHACRYLATE (TEGDMA)	Guinea	Mild irritant
	pig	
BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA)	Not	Minimal irritation
	available	
2-BENZOTRIAZOLYL-4-METHYLPHENOL	Rat	No significant irritation

## Serious Eye Damage/Irritation

Name	Species	Value
SILANE TREATED CERAMIC	similar	Mild irritant
	compoun	
	ds	
TRIETHYLENE GLYCOL DIMETHACRYLATE (TEGDMA)	Professio	Moderate irritant
	nal	
	judgeme	
	nt	
BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA)	Not	Moderate irritant
	available	
2-BENZOTRIAZOLYL-4-METHYLPHENOL	Rabbit	No significant irritation

## **Skin Sensitization**

Name	Species	Value
SILANE TREATED CERAMIC	similar	Not classified
	compoun	
	ds	
TRIETHYLENE GLYCOL DIMETHACRYLATE (TEGDMA)	Human	Sensitizing
	and	
	animal	
BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA)	Guinea	Sensitizing
	pig	
2-BENZOTRIAZOLYL-4-METHYLPHENOL	Guinea	Sensitizing
	pig	

## **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

## Germ Cell Mutagenicity

Name		Value
TRIETHYLENE GLYCOL DIMETHACRYLATE (TEGDMA)	In Vitro	Some positive data exist, but the data are not sufficient for classification
BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA)	In Vitro	Some positive data exist, but the data are not sufficient for classification
2-BENZOTRIAZOLYL-4-METHYLPHENOL	In Vitro	Not mutagenic
2-BENZOTRIAZOLYL-4-METHYLPHENOL	In vivo	Not mutagenic

## Carcinogenicity

Name	Route	Species	Value
SILANE TREATED CERAMIC		similar	Some positive data exist, but the data are not
		compoun	sufficient for classification
		ds	
TRIETHYLENE GLYCOL DIMETHACRYLATE (TEGDMA)	Dermal	Mouse	Not carcinogenic
2-BENZOTRIAZOLYL-4-METHYLPHENOL	Ingestion	Rat	Not carcinogenic

## **Reproductive Toxicity**

## **Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test Result	Exposure Duration
TRIETHYLENE GLYCOL	Ingestion	Not classified for female reproduction	Mouse	NOAEL 1	1 generation

DIMETHACRYLATE (TEGDMA)				mg/kg/day	
TRIETHYLENE GLYCOL DIMETHACRYLATE (TEGDMA)	Ingestion	Not classified for male reproduction	Mouse	NOAEL 1 mg/kg/day	1 generation
TRIETHYLENE GLYCOL DIMETHACRYLATE (TEGDMA)	Ingestion	Not classified for development	Mouse	NOAEL 1 mg/kg/day	1 generation
BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA)	Ingestion	Not classified for female reproduction	Mouse	NOAEL 0.8 mg/kg/day	premating & during gestation
BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA)	Ingestion	Not classified for male reproduction	Mouse	NOAEL 0.8 mg/kg/day	premating & during gestation
BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA)	Ingestion	Not classified for development	Mouse	NOAEL 0.8 mg/kg/day	premating & during gestation
2-BENZOTRIAZOLYL-4- METHYLPHENOL	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	during organogenesi s

## Target Organ(s)

## Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
2-BENZOTRIAZOLYL-4- METHYLPHENOL	Ingestion	nervous system   respiratory system	Not classified	Rat	LOAEL 4,640 mg/kg	

## Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
SILANE TREATED CERAMIC	Inhalation	pulmonary fibrosis	Not classified	similar compoun ds	NOAEL Not available	
TRIETHYLENE GLYCOL DIMETHACRYLATE (TEGDMA)	Dermal	kidney and/or bladder   blood	Not classified	Mouse	NOAEL 833 mg/kg/day	78 weeks
BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA)	Ingestion	endocrine system   liver   nervous system   kidney and/or bladder	Not classified	Mouse	NOAEL 0.8 mg/kg/day	premating & during gestation
2-BENZOTRIAZOLYL-4- METHYLPHENOL	Ingestion	endocrine system   kidney and/or bladder   heart   bone, teeth, nails, and/or hair   blood   liver   immune system   muscles   nervous system   eyes   respiratory system   vascular system	Not classified	Rat	NOAEL 142 mg/kg/day	2 years

## **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

## Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

## **SECTION 12: Ecological information**

## **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material

## and/or its components.

## Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

## **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes.

## EPA Hazardous Waste Number (RCRA): Not regulated

## **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

## **SECTION 15: Regulatory information**

## **15.1. US Federal Regulations**

Contact 3M for more information.

#### **EPCRA 311/312 Hazard Classifications:**

Physical	Hazards

Not applicable

## Health Hazards

	or Skin Sensitization
Serious eye	damage or eye irritation

## 15.2. State Regulations

Contact 3M for more information.

## **15.3.** Chemical Inventories

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

## **15.4. International Regulations**

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## **SECTION 16: Other information**

## NFPA Hazard Classification

Health: 2 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

<b>Document Group:</b>	05-4615-0	Version Number:	56.02
Issue Date:	12/29/17	Supercedes Date:	11/15/17

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued.3MMAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE.User is responsible for determining whether the3Mproduct is fit for a particular purpose and suitable for user's method of use or application.Given the variety of factors that can affect the use and application of a3Mproduct, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the3Mproduct to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3Mprovides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information,3Mmakes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from3M

## 3M USA SDSs are available at www.3M.com