

Stock Number: MAG00830

Date of the latest revision of the safety data sheet: 30-05-2019

Supercedes: 28-05-2019

MAG 1 85W140 6/1Q #830

1 Identification

Product Identifier: MAG 1 85W140 6/1Q #830

Stock Number: MAG00830

Other means of identification:

Synonyms: No data available

Recommended use and restrictions on use:

Recommended use: Gear Oil

Restrictions on use:Uses other than those described above

Initial Supplier Identifier: Warren Distribution, Inc.

950 S. 10th St., Suite 300 Omaha, NE 68108-3296

Tel No.: +01 (800) 825-1235 +01 (402) 341-9397

Email: sds@wd-wpp.com

Emergency telephone number and any

restrictions on the use of that number,

if applicable:

CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2 Hazard identification

Classification of the hazardous product:

Not classified under GHS

Hazard statements: Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise None known.

classified

Health hazards not otherwise classified None known.

3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Amines, C12-14-tert-alkyl	No data available	68955-53-3	0.1 - 1
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	5 - 10
Residual oils (petroleum), solvent dewaxed	No data available	64742-62-7	80 - 100



Stock Number: MAG00830

Date of the latest revision of the safety data sheet: 30-05-2019

Supercedes: 28-05-2019

MAG 1 85W140 6/1Q #830

4 First-aid measures

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

None known.

Eye contact: Immediately flush eyes with plenty of water for at least 20 minutes

retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.

Skin Contact: Wash with soap and water. Remove contaminated clothing and launder.

Get medical attention if irritation develops or persists. Remove contaminated clothing and continue flushing with water.

Ingestion: Do not induce vomiting and seek medical attention immediately. Provide

medical care provider with this SDS.

The most important symptoms and effects, whether acute or delayed:

An indication of immediate medical

attention and special treatment

needed, if necessary:

No additional first aid information available.

5 Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

hazardous product, such as the nature of any hazardous combustion:

Hazardous Combustion Products:

Special protective equipment and

precautions for firefighters:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Nitrogen containing gases, Carbon dioxide, Carbon monoxide, Smoke

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the

quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment

Prevent the spread of any spill to minimize harm to human health and



Stock Number: MAG00830

Date of the latest revision of the safety data sheet: 30-05-2019

Supercedes: 28-05-2019

MAG 1 85W140 6/1Q #830

and cleaning up: the environment if safe to do so. Wear complete and proper personal

protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations.

Used fluid should be disposed of at a recycling center.

7 Handling and storage

Precautions for safe handling: Harmful or irritating material. Avoid contacting and avoid breathing the

material. Use only in a well ventilated area. Empty containers may retain product residues/ vapors. Use proper bonding and grounding during bulk

product transfer.

Conditions for safe storage:

Materials to Avoid/Chemical

Incompatibility:

Store in a cool dry place. Isolate from incompatible materials.

Acids, Oxidizing materials

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – British Columbia – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – New Brunswick – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Newfoundland & Labrador – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational



Stock Number: MAG00830

Date of the latest revision of the safety data sheet: 30-05-2019

Supercedes: 28-05-2019

MAG 1 85W140 6/1Q #830

	Exposure Limits - TWAs	Exposure Limits -	Exposure Limits -
No data sucilable	IWAS	STELs	Ceiling
No data available	O O O O O O O O O O O O O O O O O O O	_	
Canada – Northwest Territorie	es – Occupational Exposure Limits	T	T
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Nova Scotia – Occup	ational Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Nunavut – Occupation	onal Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Ontario – Occupatio	nal Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Prince Edward Island	d – Occupational Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Quebec – Occupatio	nal Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAEVs	STEVs	Ceiling
No data available			
Canada – Saskatchewan – Occ	upational Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			



Stock Number: MAG00830

Date of the latest revision of the safety data sheet: 30-05-2019

Supercedes: 28-05-2019

MAG 1 85W140 6/1Q #830

Canada - Yukon - Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
No data available				

Appropriate engineering controls: Local exhaust ventilation or other engineering controls are normally

required when handling or using this product to avoid overexposure.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None required where adequate ventilation is provided. If airborne

Respirator Type(s): None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye and face protection: Wear chemically resistant safety glasses with side shields when handling

this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact

lenses. Have an eye wash station available.

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through and

replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

Hand protection: Neoprene, Nitrile
General hygiene conditions: No data available

9 Physical and chemical properties

Physical state:LiquidColour:BrownOdour:Mild

Odour threshold:

pH:

No data available

Melting point (°C):

No data available

Freezing point (°C):

No data available

Initial boiling point and boiling range

No data available

(°C):



Stock Number: MAG00830

Date of the latest revision of the safety data sheet: 30-05-2019

> Supercedes: 28-05-2019

MAG 1 85W140 6/1Q #830

Not established

Not established

Flash point (°C): 232

Evaporation rate: No data available Flammability, in the case of solids and No data available

gases:

Upper flammable or explosive limit, %

Lower flammable or explosive limit, %

in air:

Vapour pressure: No data available No data available Vapour density:

0.9 **Relative density:**

Negligible; 0-1% **Solubility:** Partition coefficient - n-No data available

octanol/water:

No data available **Auto-ignition temperature (°C): Decomposition temperature (°C):** Not determined

388.7 Viscosity:

10 Stability and reactivity

Reactivity: There are no known reactivity hazards associated with this product.

Stable under normal conditions. **Chemical stability:**

Possibility of hazardous reactions: None expected under standard conditions of storage.

Conditions to avoid, including static

discharge, shock or vibration:

Temperatures above the high flash point of this combustible material in

combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

Incompatible materials: Acids Oxidizing materials

Hazardous decomposition products: Nitrogen containing gases Carbon dioxide Carbon monoxide Smoke

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Eye contact, Skin contact, Ingestion, Inhalation

Symptoms related to the physical,

chemical and toxicological

characteristics:

None known.

Immediate effects from short term exposure:

Inhalation: No hazard in normal industrial use.

Skin Contact: This material is likely to be moderately irritating to skin based on animal

data. Can cause moderate skin irritation, defatting, and dermatitis. Not

likely to cause permanent damage.

Eye Contact: This material is likely to be non-irritating to eyes based on animal data.

Ingestion: Estimated to be > 5.0 g/kg. No hazard in normal industrial use.



Stock Number: MAG00830

Date of the latest revision of the safety data sheet: 30-05-2019

Supercedes: 28-05-2019

MAG 1 85W140 6/1Q #830

Delayed and chronic effects from long term exposure:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

Reproductive and Developmental

Toxicity:

Mutagenicity:

Not known or reported to cause reproductive or developmental toxicity.

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Skin Contact: Upon prolonged or repeated contact, can cause moderate skin irritation,

defatting, and dermatitis. Not likely to cause permanent damage.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial

use.

STOT-single exposure:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available):

Slight ecological hazard. In high concentrations, this product may be

dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Petroleum distillates,	64742-54-7	Aquatic LC50 (48h)	No data available	Aquatic LC50 (96h)
hydrotreated heavy		> 1000 mg/L		Rainbow Trout >
paraffinic				5000 mg/L

Persistence and degradability: Biodegrades slowly.

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

13 Disposal considerations

Information on safe handling for disposal and methods of disposal,

including any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental

regulations.



Stock Number: MAG00830

Date of the latest revision of the safety data sheet: 30-05-2019

Supercedes: 28-05-2019

MAG 1 85W140 6/1Q #830

14 Transport information

Transportation of Dangerous Goods by land (TDG):

UN number: Not regulated for road transport

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

International carriage of dangerous goods by air (IATA):

UN number: Not regulated by IATA

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

Environmental hazards according to the No

International Maritime Dangerous
Goods Code and the United Nations

Model Regulations:

Transport in bulk (according to Annex II No data available

of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the

International Code for the Construction

and Equipment of Ships carrying

Dangerous Chemicals in Bulk (IBC

Code)):

Special precautions in connection with

transport or conveyance either within

or outside the premises:

No data available

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Residual oils (petroleum), solvent	64742-62-7	Yes



Stock Number: MAG00830

Date of the latest revision of the safety data sheet: 30-05-2019

Supercedes: 28-05-2019

MAG 1 85W140 6/1Q #830

dewaxed		
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Yes
Amines, C12-14-tert-alkyl	68955-53-3	Yes

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Amines, C12-14-tert-alkyl	68955-53-3	No

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule						
		I	II	III	IV	V	VII	VIII
Residual oils (petroleum),	64742-62-7	No						
solvent dewaxed	04742-02-7	INO	INO	INO	INO	INO	INO	NO
Petroleum distillates,								
hydrotreated heavy	64742-54-7	No						
paraffinic								
Amines, C12-14-tert-alkyl	68955-53-3	No						

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Residual oils (petroleum), solvent dewaxed	64742-62-7	No	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No
Amines, C12-14-tert-alkyl	68955-53-3	No	No	No	No	No

Canada - CEPA - Schedule III Export Control List:



Stock Number: MAG00830

Date of the latest revision of the safety data sheet: 30-05-2019

Supercedes: 28-05-2019

MAG 1 85W140 6/1Q #830

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Residual oils (petroleum), solvent dewaxed	64742-62-7	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No
Amines, C12-14-tert-alkyl	68955-53-3	No	No	No	No

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Amines, C12-14-tert-alkyl	68955-53-3	No

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Amines, C12-14-tert-alkyl	68955-53-3	No

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Residual oils (petroleum), solvent	64742-62-7	No
dewaxed	04742-02-7	NO NO
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04/42-34-/	NO
Amines, C12-14-tert-alkyl	68955-53-3	No



Stock Number: MAG00830

Date of the latest revision of the safety data sheet: 30-05-2019

Supercedes: 28-05-2019

MAG 1 85W140 6/1Q #830

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants	
Residual oils (petroleum), solvent	64742-62-7	No	
dewaxed	04742-02-7	NO	
Petroleum distillates, hydrotreated	64742-54-7	No	
heavy paraffinic	04/42-34-7	NO	
Amines, C12-14-tert-alkyl	68955-53-3	No	

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Amines, C12-14-tert-alkyl	68955-53-3	No

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Amines, C12-14-tert-alkyl	68955-53-3	No

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Amines, C12-14-tert-alkyl	68955-53-3	No



Stock Number: MAG00830

Date of the latest revision of the safety data sheet: 30-05-2019

Supercedes: 28-05-2019

MAG 1 85W140 6/1Q #830

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

30-05-2019

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Amines, C12-14-tert-alkyl	68955-53-3	No

16 Other information

Date of the latest revision of the safety

data sheet:

Revision Number: 10

Reason for revision: NEW VERSION

Disclaimer: This safety data sheet and the information it contains is offered to you in

good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.