ZEP-OFF AERO DZ

Version 2.0

Revision Date 07/09/2015

Print Date 06/23/2016

Zepinc

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP-OFF AERO DZ	
Material number	:	0000000000008301	
Manufacturer or supplier's d	eta	ils	
Company	:	Zep Inc.	
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318	
Telephone	:	404-352-1680	

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	amber, translucent
Odour	solvent-like

GHS Classification

Flammable aerosols	: Category 1
Gases under pressure	: Liquefied gas
Acute toxicity (Oral)	: Category 4
Skin irritation	: Category 2
Eye irritation	: Category 2A
Carcinogenicity	: Category 2
Specific target organ toxicity -	: Category 1
single exposure	
Specific target organ toxicity -	: Category 3 (Respiratory system, Central nervous system)
single exposure	
Specific target organ toxicity -	: Category 2 (Liver, Blood)
repeated exposure (Oral)	
Specific target organ toxicity -	: Category 2 (Central nervous system)
repeated exposure	
(Inhalation)	
. ,	

GHS Label element


Hazard pictograms

: Danger

Signal word

1 / 13

ZEP-OFF AERO DZ



Zedinc

Potential Health Effects

ZEP-OFF AERO DZ

Version 2.0

Print Date 06/23/2016

ZepInc

Carcinogenicity:		
IARC	Group 2B: Possibly carcinogenic to humans	
	dichloromethane	75-09-2
	ethylbenzene	100-41-4
ACGIH	Confirmed animal carcinogen with unknown relevance	to
	humans	
	dichloromethane	75-09-2
	ethylbenzene	100-41-4
OSHA	OSHA specifically regulated carcinogen	
	dichloromethane	75-09-2
NTP	Reasonably anticipated to be a human carcinogen	
	dichloromethane	75-09-2

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
dichloromethane	75-09-2	>= 50 - < 70
butane	106-97-8	>= 10 - < 20
methanol	67-56-1	>= 5 - < 10
propane	74-98-6	>= 1 - < 5
1-aminopropan-2-ol	78-96-6	>= 1 - < 5
ethylbenzene	100-41-4	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	 If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes.
In case of eye contact	 Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If in eyes, rinse with water for 15 minutes.
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center.



ZepInc

ZEP-OFF AERO DZ

Version 2.0

Revision Date 07/09/2015

Print Date 06/23/2016

Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains or courses.	water
Hazardous combustion products	Carbon dioxide (CO2) Carbon monoxide Smoke Chlorine compounds Nitrogen oxides (NOx)	
Specific extinguishing methods	Use extinguishing measures that are appropriate to loc circumstances and the surrounding environment.	al
Further information	For safety reasons in case of fire, cans should be store separately in closed containments. Use a water spray to cool fully closed containers.	d
Special protective equipment for firefighters	Wear self-contained breathing apparatus for firefighting necessary.	if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE





Version 2.0	Revision Date 07/09/2015	Print Date 06/23/2016
Advice on safe handling	 Avoid exposure - obtain special ins Avoid contact with skin and eyes. For personal protection see section Smoking, eating and drinking shoul application area. Take precautionary measures again Provide sufficient air exchange and Open drum carefully as content ma Always replace cap after use. Dispose of rinse water in accordance regulations. Do not breathe vapours or spray m 	a 8. d be prohibited in the nst static discharges. /or exhaust in work rooms. ay be under pressure. ce with local and national
Conditions for safe storage	 BEWARE: Aerosol is pressurized. I exposure and temperatures over 50 or throw into fire even after use. Do red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilat Electrical installations / working ma the technological safety standards. 	o °C. Do not open by force not spray on flames or ed place.
Materials to avoid	: Strong oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dichloromethane	75-09-2	TWA	50 ppm	ACGIH
		PEL	25 ppm	OSHA CARC
		STEL	125 ppm	OSHA CARC
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		ST	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm 260 mg/m3	OSHA Z-1
		STEL	250 ppm 325 mg/m3	OSHA P0
		TWA	200 ppm 260 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm	OSHA Z-1



ZEP-OFF AERO DZ

Version 2.0

Revision Date 07/09/2015

Print Date 06/23/2016

			1,800 mg/m3	
		TWA	1,000 ppm	OSHA P0
			1,800 mg/m3	
xylenes	1330-20-7	TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
ethylbenzene	100-41-4	TWA	100 ppm	ACGIH
		STEL	125 ppm	ACGIH
		TWA	100 ppm	NIOSH REL
			435 mg/m3	
		ST	125 ppm	NIOSH REL
			545 mg/m3	
		TWA	100 ppm	OSHA Z-1
			435 mg/m3	
		TWA	100 ppm	OSHA P0
			435 mg/m3	
		STEL	125 ppm	OSHA P0
			545 mg/m3	

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
DICHLOROME THANE	75-09-2	Dichloromet hane	Urine	End of shift (As soon as possible after exposure ceases)	0.3 mg/l	ACGIH BEI
Methanol	67-56-1	Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI
ETHYLBENZENE	100-41-4	Sum of mandelic acid and phenyl glyoxylic acid	Urine	End of shift at end of workwee k	700 mg/g	ACGIH BEI
Remarks: Creatinine						
ETHYLBENZENE		Ethylbenzen e	In end- exhaled air	Not critical		ACGIH BEI

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Tightly fitting safety goggles



Version 2.0	Revision Date 07/09/2015	Print Date 06/23/2016			
	Wear face-shield and protective suit for abnormal processing problems.				
	Ensure that eyewash stations and the workstation location.	safety showers are close to			
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous su				
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.			

ZepInc

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	amber, translucent
Odour	:	solvent-like
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Boiling point	:	40 °C
Flash point	:	
		Not applicable
Evaporation rate	:	< 1 n-Butyl Acetate = 1.0
		No data available
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
		No data available
Density	:	1.23 g/cm3
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	not determined
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	No data available



ZEP-OFF AERO DZ

Version 2.0

Revision Date 07/09/2015

Print Date 06/23/2016

Viscosity		
Viscosity, kinematic	:	Not applicable
Heat of combustion	:	< 20 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
reactions		Vapours may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:	
Acute oral toxicity	: Acute toxicity estimate : 1,024 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : 5.17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : 3,006 mg/kg Method: Calculation method
Components:	
butane:	
Acute inhalation toxicity	: LC50 Mouse: 1,237 mg/l Exposure time: 2 h
	LC50 Rat: 1,355 mg/l
propane:	



ZEP-OFF AERO DZ

ZEP-OFF AERO DZ Version 2.0	Revision Date 07/09/2015	Print Date 06/23/2016
Acute inhalation toxicity	: LC50 Mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 Rat: 658 mg/l Exposure time: 4 h	
	LC50 Rat: 1,355 mg/l	
1-aminopropan-2-ol:		
Acute oral toxicity	LD50 Oral Rat: 1,715 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: 1,573 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Irritating to skin.		
Serious eye damage/eye irritation		
Product:		
Remarks: Severe eye irritation		
Respiratory or skin sensitisation		
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
dichloromethane: butane: methanol: propane: 1-aminopropan-2-ol: ethylbenzene:		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		

ZEP-OFF AERO DZ

Version 2.0

Revision Date 07/09/2015

ZepInc

Print Date 06/23/2016

Product:


Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION				
Ecotoxicity				
No data available				
Persistence and degradability				
No data available Bioaccumulative potential				
Product:				
Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: No data available			
Partition coefficient: n- octanol/water	: Pow: 2.89			
ethylbenzene : Partition coefficient: n- octanol/water	: Pow: <mark>3.6</mark>			
Mobility in soil				
No data available				
Other adverse effects				
No data available Product:				
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances			
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).			
Additional ecological	: No data available			
IIIOIIIIauoii	No data available			

SECTION 13. DISPOSAL CONSIDERATIONS





Zedinc

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, (LQ), - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
dichloromethane	75-09-2	1000	1516

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Chronic Health Hazard Sudden Release of Pressure Hazard Acute Health Hazard Fire Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.



ZEP-OFF AERO DZ

rsion 2.0		Revision Date 07/09/2015	Print D	ate 06/23/2016
SARA 313		The following components are su established by SARA Title III, Sec		levels
		dichloromethane	75-09-2	65.9698 %
		methanol	67-56-1	9.6754 %
		ethylbenzene	100-41-4	0.1025 %
California Prop 65		WARNING! This product contains State of California to cause cance		wn to the
	dichloromethar		75-09-2	
	ethylbenzene		100-41-4	
		WARNING: This product contains State of California to cause birth harm.		
	methanol		67-56-1	
The compone	ents of this prod	uct are reported in the following	inventories:	
TSCA	On TS	CA Inventory		
DSL		nponents of this product are on the	Canadian DSL	
AICS	Not in	compliance with the inventory		

AICS	Not in compliance with the inventory
NZIOC	Not in compliance with the inventory

liance with the inventory
liance with the inventory
)

IECSC Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information NFPA: Flammability Trability Trability Special hazard.

HMIS III:

HEALTH	3*
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

OSHA GHS Label Information:



Version 2.0		Revision Date 07/09/2015	Print Date 06/23/2016
Hazard statements	Ha re Ca pr	Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Harmful if sw allowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May cause drow siness or dizziness. Suspected of causing cancer. Causes damage to organs. May cause damage to organs (Liver, Blood) through prolonged or repeated exposure if swallowed. May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.	
Precautionary statements	: _		
	pr fla sc du dr W ece Re ur Re a to sk sk sk st up	revention: Obtain special instructions before use. Do recautions have been read and understood. Keep aw a mes/hot surfaces. No smoking. Do not spray on an op ource. Pressurized container: Do not pierce or burn, ev ist/fume/ gas/mist/ vapours/ spray. Wash skin thoroug ink or smoke when using this product. Use only outdot ear eye protection/face protection. Wear protective gl upipment as required. Seponse: IF SWALLOWED: Call a POISON CENTER well. Rinse mouth. IF ON SKIN: Wash with plenty of semove victim to fresh air and keep at rest in a position POISON CENTER or doctor/physician if you feel unwautiously with waterfor several minutes. Remove contain in irritation occurs: Get medical advice/ attention. If ey avice/ attention. Take off contaminated clothing and w esponse: Store in a w ell-ventilated place. Keep containes. Protect from sunlight. Do not expose to temperatures sposal : Dispose of contents/container in accordance	y from heat/sparks/open en flame or other ignition en after use. Do not breathe ghly after handling. Do not eat, ors or in a w ell-ventilated area. oves. Use personal protective or doctor/physician if you feel soap and w ater. IF INHALED: comfortable for breathing. Call ell. IF IN EYES: Rinse act lenses, if present and easy ITER or doctor/physician. If e irritation persists: Get medical ash before reuse. er tightly closed. Store locked s exceeding 50 °C/ 122 °F.

Version:	2.0
Revision Date:	07/09/2015
Print Date:	06/23/2016

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension[™], Petro[®], i-Chem[®], TimeMist[®], TimeWick[™], MicrobeMax[®], Country Vet[®], Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal[™], and a number of private labeled brands.

7EP-OFF AERO D7

Zepinc