

ZEP FLASH 125LB

Version 1.5	Revision Date 02/05/2018	Print Date 06/11/2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP FLASH 125LB
Material number	:	00000000000072342
Manufacturer or supplier's o	leta	ils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Floor Care

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	powder
Colour	orange
Odour	No data available

GHS Classification

Acute toxicity (Oral) Skin corrosion Serious eye damage Specific target organ toxicity - single exposure	 Category 4 Category 1B Category 1 Category 3 (Respiratory system)
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.
Precautionary statements	: Prevention: P260 Do not breathe dust or mist.



ZEP FLASH 125LB

Version 1.5	Revision Date 02/05/2018	Print Date 06/11/2019
	 P264 Wash skin thoroughly after P270 Do not eat, drink or smoker P271 Use only outdoors or in a P280 Wear protective gloves/ p protection/ face protection. Response: P301 + P312 + P330 IF SWALL CENTER/doctor if you feel unword P301 + P330 + P331 IF SWALL induce vomiting. P303 + P361 + P353 IF ON SKI immediately all contaminated clowater/shower. P304 + P340 + P310 IF INHALE and keep comfortable for breath POISON CENTER/doctor. P305 + P351 + P338 + P310 IF water for several minutes. Remained easy to do. Continue rinsing CENTER/doctor. P363 Wash contaminated clothinet Storage: P403 + P233 Store in a well-vertightly closed. Disposal: P501 Dispose of contents/contarregulation. 	e when using this product. well-ventilated area. rotective clothing/ eye OWED: Call a POISON ell. Rinse mouth. OWED: Rinse mouth. Do NOT IN (or hair): Take off othing. Rinse skin with ED: Remove person to fresh air ning. Immediately call a IN EYES: Rinse cautiously with ove contact lenses, if present g. Immediately call a POISON ing before reuse. htilated place. Keep container

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Sodium metasilicate (disodium salt)	6834-92-0	>= 70 - < 90
sodium carbonate	497-19-8	>= 10 - < 20
The exact perceptages of disclosed substan	and are withhold on trade	agarata

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15



ZEP FLASH 125LB

Version 1.5		Revision Date 02/05/2018	Print Date 06/11/2019
version 1.5		Revision Date 02/03/2018	
		minutes. Remove contaminated clothing and sh Wash contaminated clothing before re If skin irritation persists, call a physicia	use.
In case of eye contact	:	Small amounts splashed into eyes can tissue damage and blindness. Rinse immediately with plenty of water for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a spec	, also under the eyelids,
If swallowed	:	Clean mouth with water and drink after Keep respiratory tract clear. DO NOT induce vomiting unless direct physician or poison control center. Never give anything by mouth to an ur If symptoms persist, call a physician. Take victim immediately to hospital.	red to do so by a
Most important symptoms and effects, both acute and delayed	:	Effects are dependent on exposure (de contact time). Effects are immediate and delayed. Symptoms may include blistering, irrita Symptoms may include difficulty breat wheezing, throat irritation, and tightnes	ation, burns, and pain. hing, coughing,
		Symptoms may include shortness of b irritation of the nose, eyes, lips, mouth Harmful if swallowed. May cause respiratory irritation. Review section 2 of SDS to see all pot	, and throat.
Notes to physician	:	Treat symptomatically. Symptoms ma	y be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion	: No hazardous combustion products are known
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains.



ZEP FLASH 125LB

Version 1.5	Revision Date 02/05/2018	Print Date 06/11/2019
	Fire residues and contaminated fin be disposed of in accordance with	5 5
Special protective equipment for firefighters	: Wear self-contained breathing appreciation of the self-contained breathing appreciatined breathing appreciati	paratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. 	
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. 	
Materials to avoid	: Keep away from oxidizing agents and strongly acid or alkaline materials.	!

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	: effective ventilation in all processing areas
----------------------	---

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust



ZEP FLASH 125LB

Version 1.5	Revision Date 02/05/2018	Print Date 06/11/2019
	ventilation is provided or exposure that exposures are within recomm	
Hand protection Material Remarks	Protective glovesThe suitability for a specific workp with the producers of the protectiv	
Eye protection	 Ensure that eyewash stations and the workstation location. Tightly fitting safety goggles Wear face-shield and protective so problems. 	
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous su	•
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Colour	: orange
Odour	: No data available
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: Not applicable
Flash point	:
	Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Not classified as a flammability hazard
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: Not applicable
,	



Version 1.5	Revision Date 02/05/2018	Print Date 06/11/2019
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

ZepInc

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Teactions	Dust may form explosive mixture in air.
Conditions to avoid	: No data available
Incompatible materials	: Metals Acids
Hazardous decomposition products	: Sulphur oxides Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Symptoms may include difficulty breathing, coughing, wheezing, throat irritation, and tightness/closure of airway. Symptoms may include shortness of breath, dry cough, and irritation of the nose, eyes, lips, mouth, and throat.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ZEP FLASH 125LB

Version 1.5	Revision Date 02/05/2018 Print Date 06/11/2019		
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		
OSHA			
NTP			
Acute toxicity			
Product:			
Acute oral toxicity	: Acute toxicity estimate : 1,375 mg/kg Method: Calculation method		
Components:			
Sodium metasilicate (disodi	cate (disodium salt):		
Acute oral toxicity	: LD50 Rat: 1,153 mg/kg		
sodium carbonate: Acute oral toxicity	: LD50 Oral Rat: 4,090 mg/kg		
Acute inhalation toxicity	: LC50 Rat: 5,750 mg/l Exposure time: 2 h		
Skin corrosion/irritation			

ZepInc

Product:

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure



ZEP FLASH 125LB

Version 1.5

Revision Date 02/05/2018

Print Date 06/11/2019

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

	Product.	
	Partition coefficient: n- octanol/water	: Remarks: No data available
Мо	obility in soil	
Nc	data available	
Ot	her adverse effects	
Nc	data available <u>Product:</u>	
	Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
	Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
	Additional ecological information	: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.



ZEP FLASH 125LB

Version 1.5	Revision Date 02/05/2018	Print Date 06/11/2019
	Dispose of in accordance with loca	al regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Acute toxicity (any route of exposure)
		Skin corrosion or irritation



ZEP FLASH 125LB

Version 1.5	Revision Date 02/05/2018	Print Date 06/11/2019	
	Serious eye damage or eye irritatior Specific target organ toxicity (single		
SARA 302		: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
California Prop. 65			
	This product does not contain any California to cause cancer, birth de reproductive harm.		

The components of this product are reported in the following inventories:


DSL	All components of this product are on the Canadian DSI	
TSCA	On TSCA Inventory	

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION



OSHA - GHS Label Information:





Version 1.5	Revision Date 02/05/2018	Print Date 06/11/2019
Hazard pictograms		
Signal word Hazard statements	 Danger: Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation. Prevention: Do not breathe dust or mist. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse. Storage: Store in a well-ventilated place. Keep container tightly closed. Disposal: Dispose of contents/container in accordance with local regulation. 	
Precautionary statements		

Version:	1.5
Revision Date:	02/05/2018
Print Date:	06/11/2019

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.