
OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 04.

#### Printing date 05/01/2017

Identification

· Product identifier

Reviewed on 05/01/2017



If medical advice is needed, have product container or label at hand. Keep out of reach of children.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 04.

Printing date 05/01/2017

### Trade name: Super Slick 'Em

Reviewed on 05/01/2017

Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. Avoid release to the environment. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Specific treatment (see on this label). Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. If on skin: Wash with plenty of water. Collect spillage. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. *Unknown acute toxicity:* 80 percent of the mixture consists of ingredient(s) of unknown toxicity.

- Classification system:
- NFPA ratings (scale 0 4)

Health = 1 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE1Fire = 1REACTIVITY0Reactivity = 0

Other hazards None known

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dang	· Dangerous Components:		
CAS	: 8001-22-7	Soybean oil	70-90%
	: 5989-27-5 CS: GW 6360000	d-limonene Flam. Liq. 3, H226; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	5-10%
CAS	: 7782-42-5	Graphite	5-10%

## 4 First-aid measures

#### · Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness, place patient securely on side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 04.

Printing date 05/01/2017

Reviewed on 05/01/2017

Trade name: Super Slick 'Em

 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent). and full protective gear to prevent contact with skin and eyes.

- 6 Accidental release measures
- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

• Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with occupational exposure limits:

#### 8001-22-7 Soybean oil

TWA Short-term value: 5 mg/m<sup>3</sup> Long-term value: 15 mg/m<sup>3</sup>

(Contd. on page 4)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 04.

Printing date 05/01/2017

Reviewed on 05/01/2017

Trade name: Super Slick 'Em

### 5989-27-5 d-limonene

#### TWA Short-term value: 10 mg/m<sup>3</sup>

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• *Eye protection:* Goggles recommended during refilling.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information

· Appearance:	
Form:	Liquid
Color:	Dark amber
· Odor:	Mix of orange and oil
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	
Boiling point/Boiling range:	173 °C (343 °F)
· Flash point:	282 °C (540 °F)
· Flammability (solid, gaseous):	Not applicable.

Reviewed on 05/01/2017

# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 04.

Printing date 05/01/2017

### Trade name: Super Slick 'Em

255 °C (491 °F) · Ignition temperature: • Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. · Explosion limits: 0.7 Vol % Lower: 6.1 Vol % Upper: · Vapor pressure @ 20 °C (68 °F): 2.3 hPa (2 mm Hg) · Density @ 20 °C (68 °F): 1.011 g/cm<sup>3</sup> (8.437 lbs/gal) Not determined. · Relative density · Vapour density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not determined. Kinematic: Not determined. · Solvent content: Organic solvents: 10.0 % VOC content: 10.0 % Other information No further relevant information available.

## 10 Stability and reactivity

· *Reactivity* No further relevant information available.

- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

Information on toxicolonical offerste

· Information on toxicological effects · Acute toxicity:			
· LD/LC50 values that are relevant for classification:			
5989-27-5	5989-27-5 d-limonene		
Oral	LD50	4400 mg/kg (rat) Remarks: Behavioral: Change in motor activity (specific assay). Respiratory disorder Skin and Appendages: Other: Hair	
Dermal	LD50	>5000 mg/kg (rabbit)	
Inhalative	LC50/96 hours	0.72 mg/l (Pimephales) (OECD Test Guideline 203)	

(Contd. on page 6)

3

Reviewed on 05/01/2017

# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 04.

Printing date 05/01/2017

Trade name: Super Slick 'Em

- Primary irritant effect:
- on the skin:

Irritant to skin and mucous membranes.

- May cause an allergic skin reaction.
- on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

- Group 3 Not classifiable as to its carcinogenicity to humans
- Group 4 Probably not carcinogenic to humans

5989-27-5 d-limonene

### • NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

## 2 Ecological information

#### · Toxicity

• Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

#### 5989-27-5 d-limonene

EC50 0.36 mg/l (daphnia) (OECD Test Guideline 202)

- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · *Bioaccumulative potential* No further relevant information available.
- Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

- Toxic for aquatic organisms
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

• Other adverse effects No further relevant information available.

(Contd. on page 7)

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 04.

Printing date 05/01/2017

Reviewed on 05/01/2017

Trade name: Super Slick 'Em

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

<ul> <li>UN-Number</li> <li>DOT</li> <li>ADR, IMDG, IATA</li> <li>UN proper shipping name</li> <li>DOT</li> <li>Not Regulated for Transportation</li> <li>Non-Regulated Material</li> <li>Non-Regulated Material</li> <li>Non-Regulated Material</li> <li>UN3082 Environmentally hazardous substances, liquid, (Dipentene)</li> <li>IMDG</li> <li>IMDG</li> <li>IATA</li> <li>Transport hazard class(es)</li> </ul>	QUID,
· DOT · Class Non-Regulated Material	
· ADR	
Class     9 (M6) Miscellaneous dangerous substances and articles     Label     9	
· IMDG, IATA	
• Class 9 Miscellaneous dangerous substances and articles	
· Label 9 · Packing group	
• DOT Non-Regulated Material • ADR, IMDG, IATA III	
Environmental hazards: Product contains environmentally hazardous substance	ces: d-
· <i>Special marking (ADR):</i> Symbol (fish and tree)	
Special marking (IATA): Symbol (fish and tree)	
Special precautions for user     Warning: Miscellaneous dangerous substances and article     Danger code (Kemler): 90	es
(Contd. on	page 8)

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 04.

Printing date 05/01/2017

\*

Trade name: Super Slick 'Em

Reviewed on 05/01/2017

• EMS Number: • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	F-A,S-F Not applicable.
· Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> <li>UN "Model Regulation":</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN3082, Environmentally hazardous substances, liquid, n.o.s.
15 Regulatory information	(Dipentene), 9, III

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 3	55 (extremely hazardous substances):
None of th	ne ingredients are listed.
· Section 3	13 (Specific toxic chemical listings):
None of th	ne ingredients are listed.
· TSCA (To	oxic Substances Control Act):
All ingredi	ents are listed.
· Propositi	on 65
· Chemical	is known to cause cancer:
None of th	ne ingredients are listed.
· Chemical	s known to cause reproductive toxicity for females:
None of th	ne ingredients are listed.
· Chemical	s known to cause reproductive toxicity for males:
None of th	ne ingredients are listed.
· Chemical	ls known to cause developmental toxicity:
None of th	ne ingredients are listed.
· Carcinog	enic categories
· EPA (Env	rironmental Protection Agency)
None of th	ne ingredients are listed.
· TLV (Thre	eshold Limit Value established by ACGIH)
None of th	ne ingredients are listed.
· NIOSH-Ca	a (National Institute for Occupational Safety and Health)
None of th	ne ingredients are listed.
	l elements
The produ	ict is classified and labeled according to the Globally Harmonized System (GHS).

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 04.

Printing date 05/01/2017

Reviewed on 05/01/2017

Trade name: Super Slick 'Em

· Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:
d-limonene
· Hazard statements
Causes skin irritation.
May cause an allergic skin reaction.
Toxic to aquatic life with long lasting effects.
Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Avoid release to the environment.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If on skin: Wash with plenty of water.

Collect spillage.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

### • National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

<ul> <li>State Right to Know</li> </ul>		
CAS: 8001-22-7	Soybean oil	70-90%
CAS: 5989-27-5 RTECS: GW 6360000	d-limonene Flam. Liq. 3, H226; () Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	5-10%
CAS: 7782-42-5	Graphite	5-10%
All ingredients are liste	d.	

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• Date of preparation / last revision 02/27/2015 / 2

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 04.

Printing date 05/01/2017

#### Trade name: Super Slick 'Em

Reviewed on 05/01/2017

#### · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 3: Flammable liquids, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Čategory 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 \* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com (877) 204-9106