

# Material Safety Data Sheet

# Non-Hazardous According To The Criteria Of NOHSC

# I IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: Brisk

Other Name: UPHOLSTERY CLEANER

Manufacturer's Product Code:

Recommended Use: Upholstery Shampoo

Supplier Name:AUTOSMART AUSTRALIASupplier Address:AUTOSMART AUSTRALIA11 DARRAMBAL CLOSE

RATHMINES NSW 2283

www.autosmartaustralia.com.au www.autosmartinternational.com autosmart@autosmartaustralia.com.au

<u>Telephone No.:</u> 02 49 75 14 88 (Mon to Fri, 08:00 – 16:00 AEST)

(General Information. Transport Information. Mild medical

Information)

Emergency No.: 0011 44 7808 971 321 (24 Hrs) (Autosmart International)

13 11 26 (24 Hours) Poison Information Centre Australia

# 2 HAZARDS IDENTIFICATION

HAZARD DESIGNATION: Non-Hazardous According To The Criteria Of NOHSC

**Hazard Category:** Not Applicable

Risk Phrases:

None

Safety Phrases:

S1/2 Keep locked up and out of the reach of children.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek

Medical advice.

S45 In case of accident or if you feel unwell, seek medical advice immediately (show

label where possible).

S46 If swallowed, seek medical advice immediately and show this container or label.
P14 Contains TRIS-(2,HYDROXYETHYL)HEXAHYDROTRIAZINE. May produce an

allergic reaction

BRISK PAGE 2 of 5

**ADG CLASSIFICATION:** Not "dangerous goods" for transport by road or rail according to

the Australian Code for the Transport of Dangerous Good by

Road and Rail.

**SUSDP CLASSIFICATION:** NONE

# 3 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT	CAS NUMBER:	PROPORTION (%W/W)	
2-aminoethanol	141-43-5	< 1%	
2-butoxyethanol	111-76-2	1-5%	
Ethanol	64-17-5	1-5%	
3-Lauramidopropyl trimethyl ammonium methyl sulfate	10595-49-0	1-5%	
Tetrapotassium pyrophosphate	7320-34-5	1-5%	
Tris-(2,hydroxyethyl)	4719-04-4	< 1%	
hexahydrotriazine			
Other ingredients determined not	To 100%		

# 4 FIRST AID MEASURES

IF POISONING OCCURS, IMMEDIATELY CONTACT A DOCTOR OR POISONS INFORMATION CENTRE (TELEPHONE 13 11 26), AND FOLLOW THE ADVICE GIVEN. SHOW THIS MATERIAL SAFETY DATA SHEET TO A DOCTOR.

Inhalation: Not considered an inhalation hazard.

**Skin Contact:** Remove all contaminated clothing. Wash the skin with plenty of water. Seek

medical attention if discomfort continues. Launder clothing before re-use.

**Eye contact:** Immediately rinse eyes thoroughly, including under eyelids, with running water

for at least 15 minutes. Seek immediate medical advice.

**Ingestion:** Do NOT induce vomiting. Seek immediate medical advice.

First Aid Facilities: Provide an eyewash station in the workplace.

**Symptoms:** Not available

**Medical attention:** 

# **5 FIRE FIGHTING MEASURES**

**Extinguishing** Foam, dry chemical or water spray. Do not use a water jet from a fire

media: hose.

Hazards from combustion

**products:** No data available.

**Precautions for** 

**fire fighters:** Fire fighters should wear full protective clothing and self-contained breathing

apparatus. Do not release contaminated water into the environment. Keep intact

containers cool by water spray.

**ADDITIONAL INFORMATION: HAZCHEM CODE:** Not relevant

# 6 ACCIDENTAL RELEASE MEASURES

Wear suitable protective clothing and boots. Prevent spill from entering drains, sewers or any body of water. Contain and absorb with sand, earth or inert absorbent. Scoop or shovel into sealable containers for disposal in accordance with applicable local, state and federal regulations. Spillage's May Be Slippery.

# 7 HANDLING AND STORAGE

#### Handling:

Keep out of reach of children. Avoid contact with skin and eyes and do not inhale spray mist. Use only in a well-ventilated area

#### Storage:

Store product in the closed, original container in a cool, well-ventilated area away from direct sunlight.

#### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION



# **Exposure Standards:**

Name	Std	TWA - 8 hrs	STEL - 15 min
2-AMINOETHANOL	WEL	1 ppm(Sk) 2.5 mg/m3(Sk)	3ppm(sk) 7.6 mg/m3(Sk)
2-BUTOXYETHANOL	WEL	25 ppm (SK)	50 ppm (Sk)
ETHANOL	WEL	1000 ppm 1920 mg/m3	

SK - Skin

WEL - Workplace Exposure Limits

T.W.A – The time-weighted average airborne concentration over an eight-hour working day, for five-day working week over an entire working life

S.T.E.L. (Short term Exposure Limit) – the average airborne concentration over a fifteen minute period which should not be exceeded at any time during a normal eight hour working day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers

# **Engineering Controls:**

Ensure adequate ventilation. Keep container closed when not in use.

#### **Personal Protective Equipment:**

**EYES:** 

Avoid contact with eyes.

**CLOTHING:** 

Not relevant

**GLOVES:** 

For prolonged use wear gloves.

**RESPIRATORY:** 

Not relevant.

OTHER:

Do not eat, drink or smoke until after washing. Wash thoroughly after handling.

9 PHYSICAL AND CHEMICAL PROPERTIES

Clear liquid Appearance: Odour: Pleasant Vapour Pressure: not relevant. Vapour Density: Not available **Boiling Point:** Not available **Freezing/melting point:** Not available **Solubility:** Soluble in Water. **Density:** 1.040 @ 20 °C Not available pH Neat: Flashpoint: Not relevant

Flammability (explosive) limits:

**Auto-ignition temperature:** 

**Percent volatiles:** 

Octanol/water partition coefficient: Not available Formulation: Detergent

10 STABILITY AND REACTIVITY

Chemical stability:

Hazardous polymerisation:

Conditions to avoid:

Not available

Will not occur

Not available

**Incompatible materials:** Incompatible with strong oxidising agents

Hazardous decomposition

products: Carbon Monoxide
Hazardous reactions: Not available

#### 11 TOXICOLOGICAL INFORMATION

Inhalation:

Not considered as an inhalation hazard.

Skin contact:

Repeated or prolonged contact may cause dryness and irritation to the skin.

**Eve contact:** 

The material should not be allowed to contact the eyes.

**Ingestion:** 

May cause irritation.

Other: None ANIMAL TOXICITY DATA – PRODUCT: No data available for the product. ANIMAL

TOXICITY DATA - INDIVIDUAL INGREDIENTS:

Acute: Oral toxicity: LD50 rat: Not available **Dermal toxicity:** LD50 rabbit: not available

Inhalation toxicity: Not available Skin irritation: Mild irritant Eye irritation: Mild irritant Sensitisation: Not available

Chronic: Chronic effects are not expected to occur with this product.

# 12 ECOLOGICAL INFORMATION

Fish toxicity:
Data not available
Daphnia toxicity:
Data not available
Toxicity to algae:
Data not available
Bird toxicity:
Data not available
Bee toxicity:
Data not available
Other:
No data available

**DATE OF ISSUE: SEPTEMBER 2015** 

#### Environmental fate, persistence and degradation:

Degrades rapidly in soil and water.

#### 13 DISPOSAL CONSIDERATIONS

Do not discharge into drains. Do not incinerate. Dispose of waste material via a licensed waste disposal contractor to a regulated landfill.

# 14 TRANSPORT INFORMATION

**UN number:**Proper shipping name:
Not applicable

Class and Subsidiary Risk: Not "dangerous goods" for transport by road or rail according to

the Australian Code for the Transport of Dangerous Goods by

Road and Rail.

Packing Group:Not applicableEPG:Not applicableHazchem code:Not applicable

#### 15 REGULATORY INFORMATION

No Poison Schedule number allocated

#### 16 OTHER INFORMATION

#### Preparation information:

Only trained personnel should use this material.

#### MSDS Issue

Issue No.1
Prepared: 01/02/2015
Next review date: 01/02/2020
Reason for Update Review & update

Prepared by Autosmart International, Lynn Lane, Shenstone, Lichfield, Staffordshire,

WS14 0DH, Great Britain www.autosmartinternational.com

rbutler@autosmart.co.uk Tel: +44 1543 481616

#### **Data Sources and References:**

National Code of Practice for the preparation of Material Safety Data Sheets 2<sup>nd</sup> Edition [NOHSC:2011 (2003)]. Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) No 23

National code of practice for the storage and handling of Workplace Dangerous Goods [NOHS:2017 (2001)]

National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHS:21003 (1995)]

#### Disclaimer:

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



# **GHS SAFETY DATA SHEET**

I. PRODUCT IDENTIFICATION			
MANUFACTURER/SUPPLIER	CHEMICAL/TRADE NAME	*Lead-Acid Battery Non-spillable	
Exide Technologies	(* as used on label)	Valve Regulated Lead-Acid	
13000 Deerfield Parkway, Bldg. 200		Battery (VRLA)	
Milton, GA 30004		Absorbed Electrolyte Battery	
	PRODUCT ID	UN2800	
FOR FURTHER INFORMATION	CHEMICAL FAMILY/	Electric Storage Battery	
Primary Contact:	CLASSIFICATION		
Exide SDS Support (770) 421-3485			
Secondary Contact:	FOR EMERGENCY In the U.S. Call CHEMTREC (800) 424-9300 24-hour Emergency Response Contact/		
Joe Bolea (423) 989-6377			
Joe Kumper (678) 566-9380	(703) 527-3887 – Collect	Ask for Environmental Coordinator	
Fred Ganster (610) 921-4052			
	In Canada Call CANUTEC (88	8) 226-8832, (613) 996-6666 or *666 on a Mobile Phone	

# II. HAZARD IDENTIFICATION











Signal Word: Danger

			iai word: Danger
Category:		GHS Codes	Description
Health: STOT RE 2	STOT RE 2	H302/H312/H332	Harmful if swallowed, inhaled, or in contact with skin.
	Acute Tox. 4	H314	Acid causes severe skin burns and eye damage.
	Repr. 1A	H315/H318	Causes skin irritation, serious eye damage.
	Skin Corr. 1A	H302/H313/H332	Contact with internal components may cause irritation or severe burns.
	Flamm Gas 1	H350	May cause cancer if ingested or inhaled.
	1 14111111 345 1	H360	May damage fertility or the unborn child if ingested or inhaled.
	Aquatic Acute 1	H373	Causes damage to central nervous system, blood and kidneys through prolonged
			or repeated exposure if ingested or inhaled.
Aquatic Chronic 1	H220	Extremely flammable gas (hydrogen). May form explosive air/gas mixture	
			during charging.
	H203	Explosive, fire, blast or projection hazard.	
	H410	Very toxic to aquatic life with long lasting effects.	
		P260	Do not breathe dust/fume/gas/mist/vapors/spray.
	P314	If exposed/concerned, or if you feel unwell seek medical attention/advice.	
		P301/330/331	IF SWALLOWED OR CONSUMED: rinse mouth. Do NOT induce vomiting.
			Call a poison center/doctor if you feel unwell.
		P303/361/353	IF ON CLOTHING OR SKIN (or hair): Remove/Take off immediately all
			contaminated clothing and wash it before reuse. Rinse skin with water/shower.
		P304/340	<b>IF INHALED:</b> Remove person to fresh air and keep comfortable for breathing.
		P305/351/338	<b>IF IN EYES:</b> Rinse cautiously with water for several minutes. Remove contact
			lenses, if present and easy to do. Continue rinsing.
		P311	Immediately call a <b>POISON CENTER</b> or doctor/physician.
		H362	May cause harm to breast-fed children.
Handling:		P201	Obtain special instructions before use.
		P202	Do not handle until all safety precautions have been read and understood.
		P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
	P263	Avoid contact during pregnancy/while nursing.	
	P264	Wash thoroughly after handling.	
	P270	Do not eat drink or smoke when using this product.	
		P280	Wear protective gloves/protective clothing/eye protection/face protection.
		P403/P405	Store locked up, in a well-ventilated area, in accordance with local and national
			regulation.
		P271	Use only outdoors or in a well-ventilated area.
		P501	Dispose of contents/container in accordance with local & national laws.
		P201	Keep out of reach of children.
		1	

WARNING: Batteries subjected to abusive charging at excessively high currents for prolonged periods of time without vent caps in place may create a surrounding atmosphere of an offensive, strong inorganic acid mist containing sulfuric acid.

Reactivity: highly reactive with water and alkalis